Multifunction B&W



RICOH MP 501SPF/ MP 601SPF



The ideal combination of convenience and productivity

The old adage "knowledge is power" has a new twist. It's only true if you can share that knowledge with others quickly and securely — in the format they prefer. Use the RICOH® MP 501SPF/MP 601SPF to print forms, invoices and a wide range of document types at high speeds, copy important meeting notes, scan full-color images and brochures and fax or distribute information in digital format to anybody, anywhere with a tap of your finger. It all begins with our Workstyle Innovation Technology. Take advantage of an eye-catching, full-color interactive Smart Operation Panel touchscreen to set shortcuts and access important details, so you can be more productive and informed. Want more mobility? Print and scan remotely via your smartphone or tablet. Need more security? Take advantage of user authentication to track users, projects and costs. Worried about space? Place this compact device anywhere, from a small office to a larger shared-use environment.

- Print up to 62 ppm for productive black-and-white output
- Use intuitive touchscreen controls for easy multifunction operation
- Customize your own workflows and add shortcuts to simplify tasks
- Print and distribute information remotely from your personal mobile device
- Reduce operating costs via a wide range of eco-friendly features





Multitask at a faster pace in less space

Perform everyday tasks with speed and convenience

Find the perfect fit for your office

Your workload isn't getting any smaller, even if your deadlines and office space are shrinking. Introducing the compact MP 501SPF/MP 601SPF, a fully featured multifunction printer designed specifically for midsize workgroups that manage a wide range of document tasks. Print and copy up to 8.5" x 14" documents and scan originals from a versatile device that can be placed almost anywhere. Or, place it in shared-use settings — including PC, Mac and host printing environments — to improve everyday workflows. Take advantage of extensive fax capabilities to transmit important contracts and other documents digitally and avoid typical transmission costs. In fact, faxes can be sent directly to your email inbox, so you don't have to repeatedly check for received faxes at the device.

Be more productive with everything you do

Every day brings something different. Be ready for all of it with the MP 501SPF/MP 601SPF. Print a wide range of documents at up to 62 pages per minute and transition between jobs quickly. Copy handwritten notes clearly with sharp lines and precise text up to 1200 x 1200 dpi. Scan black-and-white or full-color originals and share them immediately with a host of Scan-to capabilities. Add optional paper trays to extend paper capacity up to 2,600 sheets for fewer interruptions. Besides toner replacement, the device is designed specifically to be almost maintenance free, so you can spend less time replenishing supplies and more time on accomplishing tasks.

Keep moving, keep working

Being out of the office shouldn't keep you out of the loop. With the RICOH Smart Device Connector app, you can use your Android or iOS smartphone or tablet to access, manage and move information easily. Connect directly to the MP 501SPF/MP 601SPF with Near Field Communication (NFC), Bluetooth or by scanning the QR code displayed on the control panel. Grab information from your personal device or favorite Cloud application and print it without utilities, software or drivers. Share digital files from the multifunction device just as easily. Scan originals, send them to your phone and share them with recipients in your personal address book via a wide range of Scan-to capabilities almost instantly. You can even carry your work with you by printing from or scanning to a USB/SD card that can be plugged directly into the device.











Make your work more personal

Put your own touch on every project

Take advantage of what you know to simplify how you work. Use Workstyle Innovation Technology to customize the user interface with one-touch workflows and shortcuts that help you complete jobs faster with more accuracy. Begin basic functions, such as copying and printing, with one-touch controls. Choose from a wide range of embedded apps to simplify more complex workflows. Each app includes critical selections for specific jobs so you can make smarter workflow decisions. Make adjustments instantly with a swipe or tap. Do you distribute the same reports regularly? Create a workflow shortcut that automates many of the manual steps, so you can save time by reducing redundant entries on the touchscreen. You can even download additional apps from the Ricoh Application Site and place them on the Home Screen as information-displaying widgets.

Find everything you need in one place

The less time you spend searching for information, the more time you have to use it to your advantage. The MP 501SPF/MP 601SPF features an impressive 10.1" touchscreen operational panel that gives you immediate access to every detail — including settings, usage, administrative controls, scan-to recipients, workflows and much more — available at your fingertips with a single swipe, flick or tap. All hard keys have been removed, so you can toggle between jobs and tasks using the same familiar controls you use on your smartphone or tablet. Customize the user interface to simplify navigation via intuitive dragand-drop workflow icons and find critical information immediately. The MFP even includes an embedded web browser, so you can access web pages directly from the Internet and print them as PDFs.

Make productivity simple

Make your workday more personal, while doing less of the work. Use the MP 501SPF/MP 601SPF to perform a wide range of document management tasks automatically. Click on the ID Card Copy app to scan both sides of drivers' licenses, insurance cards and other forms onto a single side of a sheet of paper for easier viewing. Opt for embedded Optical Character Recognition (OCR) scanning, so you can place metadata on images and PDF files and retrieve them quickly via keyword searches. You can also store frequently used documents locally on the embedded hard disk drive, find them in the Document Server and release them with a single tap for on demand printing. Pair the MFP with your choice of workflow software, including RICOH Streamline NX and Device Manager NX for tracking and authentication, to maximize automation and expedite workflows even more.







Be the one responsible for improving workflow

Take charge of security controls

With user authentication, you're always in control of your most sensitive information. Users can log into the device via passcode or billing code — or by passing an identity card by the optional NFC card reader. You can track each user and all output remotely. You can set print quotas. You can even issue chargebacks to specific workgroups or individuals when you add optional accounting software such as Ricoh Device Manager NX Accounting. Use the Locked Print function to prevent documents from being left unattended in the output tray. Release them only after the authorized user authenticates at the device. For even more security, the hard disk drive provides powerful encryption and the built-in DataOverwriteSecurty System (DOSS) overwrites any latent images left on the hard drive.



Conserve your energy and paper


Some things are out of your control. Fortunately, there's the MP 501SPF/MP 601SPF with its wide range of eco-friendly, energysaving features to reduce Typical Electricity Consumption (TEC) for you. For example, Sleep Mode reduces energy usage when the MFP is unused for extended periods. Or, you can program the device to turn on and shut down at predetermined times to conserve energy for even greater savings. Want to reduce paper costs? Set duplex printing as the default, even for legal-sized paper. It's also EPEAT[®] Silver rated* and is ENERGY STAR[®] certified.

*EPEAT Silver rating is applicable only in the USA.

Perform administrative tasks from anywhere

Be proactive to stay productive. Perform a wide range of administrative tasks remotely. With Ricoh Device Manager NX or Ricoh Web Image Monitor, you can monitor usage, configure the device and add updates from anywhere via a web browser. When you need to update print drivers, simply install Ricoh Device Software Manager and automate the process in only moments. Collect important device details and automate service calls with Ricoh @Remote. Monitor the device in real-time, automatically collect meter readings and take advantage of automated service alerts to react quickly. When you need outside help, give our trained technicians a call. We can even access your user interface remotely to expedite troubleshooting.





Everything you need for everyday tasks



Base System: Take your pick between
52- or 62-pages-per-minute output speeds.
Both offer 1200 x 1200 dpi resolution for crisp, clear output every time.

2 Full-Color 10.1" Super VGA Smart Operation Panel: Jump from one job or task to the next with ease by using familiar touchscreen interactions to navigate menus, check settings and initiate jobs.

3 Automatic Reversing Document Feeder: Make copies or send faxes in seconds with the convenient Document Feeder. Or, load up to 75 single-sided or double-sided color or black-andwhite originals for fast and easy scanning.

4 Standard Paper Tray: Load up to 500 sheets of paper — up to 8.5" x 14" — with the Standard Paper Tray.

5 Paper Feed Units (Optional): Add up to four 500-Sheet drawers and expand your paper capacity up to a whopping 2,600 sheets for longer runs and fewer reloads.

6 **Duplex Unit:** Reduce paper usage by copying and printing on both sides of each sheet of paper.

7 **Bypass Tray:** Use a wider selection of media stocks and feed paper up to 59 lb. Bond (220 g/m2) through the 100-Sheet Bypass Tray.


8 USB & SD Card Slots: Carry your work with you by printing from or scanning to a USB/SD card that can be plugged directly into the device.

9 500-Sheet Paper Exit Tray

Tap into a whole new way to work

Use Workstyle Innovation Technology to integrate multiple processes and streamline complex tasks to fit your workstyle. Each display option offers a common platform shared with other Ricoh smart operation panel-equipped devices that includes touchscreen controls on an impressive 10.1" Super VGA Smart Operation Panel.

New User Interface: This intuitive, easy-to-navigate user interface is set up in a grid layout, so information can be accessed dynamically. Use the familiar swipe scrolling and pinch-and-flick movements found on most of today's touchscreens to perform your tasks in seconds. Take advantage of its built in "Cloud solution ready" capabilities. You can even choose which shortcut workflows you want to place on the Home Screen.





Quick User Interface: At times, almost every user needs just basic printing, copying, scanning or faxing at an MFP. Access each with a single touch from the Quick User Interface. To perform more unique functions, such as ID Card Copy or Scan-to-Folder Helper, you can place these shortcuts on the Home Screen. Just tap it to get started.

Classic (Legacy) User Interface: Not ready for a new touch panel design? Don't worry — you're covered. You can still use the legacy Ricoh user interface on the new touchscreen. Just tap its icon on the Home Screen and begin working with the familiar display you are accustomed to.



To view detailed features of our multifunction B&W products online go to www.ricoh-usa.com/products

RICOH MP 501SPF/MP 601SPF

SYSTEM SPECIFICATIONS

Engine/Copier Specifications		Font Support	PCL: 45 fonts + 6 Bitmapped fonts + 13
RICOH MP 501SPF	Part # 407809	Network Protocols	International fonts PostScript3/136 fonts TCP/IP (IPv4, IPv6), SMTP (sending email),
RICOH MP 501SPFG* RICOH MP 601SPF	Part # 407907 Part # 407812	Network i lotocols	SMB/FTP (scan-to-folder), Web services on
RICOH MP 601SPFG*	Part # 407812		devices for scanning
Configuration	Desktop	Supported Operating	Windows® Vista/7/8/8.1/10/Server2003/
Technology	B&W laser electro-photographic printing	Systems	Server 2003R2 /Server 2008/ Server 2008R2/Server 2012/ Server 2012 R2,
Toner Type Copy Resolution	Dry, mono component 600 x 600 dpi		CPS/XenApp PCL/PS only; Mac OS X (10.7
Maximum Copy Quantity			or later) PS only; UNIX Sun Solaris 9/10,
Control Panel	10.1" Smart Operation Panel		HP-UX 11.x, 11i v2, 11i v3, Red Hat Linux
B&W Copy/Print Speed	MP 501SPF: 52 ppm		Enterprise V4/V5/V6, SCO OpenServer 5.0.7/6.0, IBM AIX V5L/V5.3/V6.1/V7.1;
(Letter) Maximum Monthly	MP 601SPF: 62 ppm MP 501SPF: 16,600 prints		SAP R/3
Volume	MP 601SPF: 16,600 prints	Device Management	Device Software Manager, Web Image
Duty Cycle	MP 501SPF: 250,000 prints	Software/Utilities	Monitor, Streamline NX, GlobalScan NX,
F C. (D D	MP 601SPF: 275,000 prints		Scan CX, Enhanced Locked Print NX, FlexRelease NX, Card Authentication
First Copy/Print Out Time Warm-up Time	MP 501SPF: 24 seconds		Package, Remote Communication
wann ap nnie	MP 601SPF: 25.4 seconds		Gate Type S, Remote Communication
Memory (Standard/	2 GB RAM + 320 GB Hard Disk Drive		Gate Type A, @Remote Connector NX,
Maximum)	Character (Data Inc		Device Manager NX Lite/Accounting/Pro/ Enterprise, Printer Driver Packager NX
Original Type Maximum Original Size	Sheets/Books 8.5" x 14" (216 x 356 mm)	Mobile Print	RICOH Smart Device Connector, RICOH
	1 x 500-Sheet Tray + 100-Sheet Bypass		App for Google Cloud Print, Airprint
	Tray	Other Print Features	Eco-Friendly Indicator, PDF Direct Print,
Maximum Paper Capacity			Mail to Print, Classification Code, Bonjour Support, Windows Active Directory
Standard Output Capacity	500 sheets (LT)		Support, DDNS Support, PCL Resident Font
Supported Paper Sizes	Paper Tray: 4.13" x 5.83" – 8.5" x 14"		Adoption, Tray Parameter Change from
	Bypass Tray: 2.76" x 5.83" - 8.5" x 14"		Web Image Monitor, 1200 dpi Support,
	Optional Trays: 3.62" x 6.38" - 8.5" x 14"		Universal Driver, XPS Support, WS Printer, Wireless LAN Interface Option, Media
Supported Paper Weights	Standard Tray, Optional Trays and when Duplexing: 17 – 32 lb. Bond/66 lb. Index		Direct Print (Print from USB/SD), Banner
	(64 – 120 g/m ²)		Page Print, Auto Job Promotion, Poster
	Bypass Tray: 16 – 59 lb. Bond/122 lb. Index		Print, WPS Support, Sample/Locked/Hold/
	(60 – 220 g/m ²)		Scheduled/Stored Print/Store and Print
Supported Paper Types	Plain, Thin, Middle, Thick, Recycled, Colored, Special, Letterhead, Preprinted,	Scan Specification	ns (Standard)
	Bond, OHP (Transparency)**, Label**,	Scan Speed (B&W &	B&W: Up to 62 ipm Simplex/Up to 27 ipm
	Envelopes***	Full Color)	Duplex (Letter, A4)
Document Feeder Type	Automatic Reversing Document Feeder		Full Color: Up to 42 ipm Simplex/Up to
Document Feeder Original Size	8.5" x 14" (216 x 356 mm)		18 ipm Duplay (Latter, A.4)
	13 – 20 lb. / 44 Index (50 – 80 g/m²)	Scan Resolution	Duplex (Letter, A4) Full Color & B&W: Up to 600 dpi
Weight		Platen Size	Up to 8.5" x 14"
Document Feeder	75 sheets	Connection Type	MFP must be connected via 10/100/100
Capacity Preset Reduction &	65%, 78%, 93%, 100%, 129%, 155%		Base-TX Ethernet (standard) or IEEE 802.11 a/b/g/n Wireless Interface (optional) for
Enlargement Ratios	05/0, 70/0, 55/0, 100/0, 125/0, 155/0		network TWAIN scanning and Scan-to
Zoom Range	25% to 400% in 1% increments		modes. Standard Scan-to-USB/SD Cards via
Standard Features	Auto Paper Selection, Auto Start, Auto		control panel.
	Tray Switch, Combine Copy, Directional Magnification, Duplex, Electronic Sort, ID	Protocol Compression Method	TCP/IP, SMB, SMTP, FTP, WSD Scanner
		compression method	
	Card Copy, Image Density Adjustment,		B&W: TIFF (MH, MR, MMR, JGIB2), Gravscale
	Image Quality Mode, Interrupt Copy,		Grayscale Full Color: JPEG
	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program,	Scan Mode	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo,
	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings,	Scan Mode	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale
Dimensions (WxDxH)	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program,	Scan Mode	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto
	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe)	Scan Mode File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale
Weight	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7 * x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg)		Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A-
Weight Power Consumption	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG
Weight	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7 * x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg)		Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A-
Weight Power Consumption (Operating) Power Consumption (Sleep Mode)	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7* x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 5015PF: 740 W MP 6015PF: 774 W 1.1 W	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W MP 601SPF: 740 W 1.1 W MP 501SPF: 3.0 kWh/week	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)****	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7* x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W MP 601SPF: 774 W 1.1 W MP 501SPF: 3.0 kWh/week MP 601SPF: 3.8 kWh/week	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to-
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7* x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W MP 601SPF: 774 W 1.1 W MP 501SPF: 3.0 kWh/week MP 601SPF: 3.8 kWh/week	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) MP 5015PF: 740 W MP 6015PF: 774 W 1.1 W MP 5015PF: 3.0 kWh/week MP 6015PF: 3.0 kWh/week 120 V, 60Hz, 15A	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W MP 601SPF: 740 W 1.1 W MP 501SPF: 3.0 kWh/week MP 601SPF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**from Bypass Tray only.	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W MP 601SPF: 740 W MP 601SPF: 774 W 1.1 W MP 501SPF: 3.0 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**From Bypass Tray and Opti	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W MP 601SPF: 740 W MP 601SPF: 774 W 1.1 W MP 501SPF: 3.0 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant	File Formats	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**From Bypass Tray and Opti	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7* x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) MP 5015PF: 740 W MP 6015PF: 740 W MP 6015PF: 774 W 1.1 W MP 5015PF: 3.0 kWh/week MP 6015PF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant	File Formats Standard Features	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**From Bypass Tray and Opti	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 601SPF: 740 W MP 601SPF: 740 W MP 601SPF: 774 W 1.1 W MP 501SPF: 3.0 kWh/week MP 601SPF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant onal Paper Trays ption by ENERGY STAR program.	File Formats Standard Features Facsimile Specific Circuit Compatibility	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend STIN, PBX ITU-T (CCITT) G3
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT **Trade Agreements Act (TAA) **Trom Bypass Tray and Opti ****Typical Electricity Consum	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 601SPF: 740 W MP 601SPF: 740 W MP 601SPF: 774 W 1.1 W MP 501SPF: 3.0 kWh/week MP 601SPF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant onal Paper Trays ption by ENERGY STAR program.	File Formats Standard Features Facsimile Specific Circuit Compatibility Resolution	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend Cations PSTN, PBX ITU-T (CCITT) G3 200 x 200/100 dpi
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**from Bypass Tray and Opti ***from Bypass Tray and Opti ***from Bypass Tray and Opti ****Typical Electricity Consum Print Resolution Print Resolution	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) MP 5015FF: 740 W MP 6015PF: 740 W MP 6015PF: 774 W 1.1 W MP 5015PF: 3.0 kWh/week MP 6015PF: 3.0 kWh/week MP 6015PF: 3.0 kWh/week MP 6015PF: 3.8 kWh/week MP 6015PF: 3.8 kWh/week MP 6015PF: 3.8 kWh/week MP 6015PF: 3.0 kWh/week MP 601	File Formats Standard Features Facsimile Specific Circuit Compatibility Resolution Compression Method	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/TFP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend Coriginals, Resend Stations PSTN, PBX (TU-T (CCITT) G3 200 x 200/100 dpi MH, MR, MMR, BIG
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) **From Bypass Tray and Opti ***From Bypass Tray and Opti ****Typical Electricity Consum Printer Specificati Processor Speed	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 501SPF: 740 W MP 601SFF: 740 W MP 601SFF: 740 W MP 501SFF: 3.0 kWh/week MP 601SFF: 3.0 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant onal Paper Trays ption by ENERGY STAR program. ons (Standard) 1.46 GHz Up to 1200 x 1200 dpi Standard: Gigabit Ethernet (1000/100/	File Formats Standard Features Facsimile Specific Circuit Compatibility Resolution	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/FTP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend Cations PSTN, PBX ITU-T (CCITT) G3 200 x 200/100 dpi
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**from Bypass Tray and Opti ***from Bypass Tray and Opti ***from Bypass Tray and Opti ****Typical Electricity Consum Print Resolution Print Resolution	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7* x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 5015PF: 740 W MP 6015PF: 774 W 1.1 W MP 5015PF: 3.0 kWh/week MP 6015PF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant onal Paper Trays ption by ENERGY STAR program. Ons (Standard) 1.46 GHz Up to 1200 x 1200 dpi Standard: Gigabit Ethernet (1000/100/ 108ASE-T), USB 2.0 Type A x 2, SD Card	File Formats Standard Features Facsimile Specific Circuit Compatibility Resolution Compression Method Scanning Speed (SEF) Modem Speed	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/TFP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend :ations PSTN, PBX ITU-T (CCITT) G3 200 x 200/100 dpi MH, MR, MMR, JBIG B&W: 62 ipm Simplex/27 ipm Duplex (Letter) @ 300 dpi 33.6 Kbps with auto fallback
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**from Bypass Tray and Opti ***from Bypass Tray and Opti ***from Bypass Tray and Opti ****Typical Electricity Consum Print Resolution Print Resolution	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 5015PF: 740 W MP 6015PF: 740 W MP 6015PF: 3.0 kWh/week MP 6015PF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant onal Paper Trays ption by ENERGY STAR program. ons (Standard) 1.46 GHz Up to 1200 x 1200 dpi Standard: Gigabit Ethernet (1000/100/ 108ASE-T), USB 2.0 Type A x 2, SD Card Slot x 2 Optional: Wireless LAN IEEE802.11a/b/g/n,	File Formats Standard Features Facsimile Specific Circuit Compatibility Resolution Compression Method Scanning Speed (SEF)	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/TF/VIRL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend Cations PSTN, PBX ITU-T (CCITT) G3 200 x 200/100 dpi MH, MR, MMR, JBIG B&W: 62 ipm Simplex/27 ipm Duplex (Letter) @ 300 dpi 33.6 Kbps with auto fallback G3: 3 seconds per page (MMR Compression)
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**from Bypass Tray and Opti ***from Bypass Tray and Opti ***from Bypass Tray and Opti ****Typical Electricity Consum Print Resolution Print Resolution	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7* x 19.84* x 25.39* (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 5015PF: 740 W MP 6015PF: 774 W 1.1 W MP 5015PF: 3.0 kWh/week MP 6015PF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant onal Paper Trays ption by ENERGY STAR program. Ons (Standard) 1.46 GHz Up to 1200 x 1200 dpi Standard: Gigabit Ethernet (1000/100/ 108ASET, JUSB 2.0 Type A x 2, SD Card Slot x 2 Optional: Wireless LAN IEEE802.11a/b/g/n, Bluetooth, USB 2.0 Type B, IEEE1284, NIC	File Formats Standard Features Facsimile Specific Circuit Compatibility Resolution Compression Method Scanning Speed (SEF) Modem Speed Transmission Speed	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color: Text/Photo, Glossy Photo, Auto Full Color: Text/Photo, Glossy Photo, Auto Full Color: Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/TFP/URL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend :ations PSTN, PBX (TU-T (CCITT) G3 200 x 200/100 dpi MH, MR, MMR, JBIG B&W: 62 ipm Simplex/27 ipm Duplex (Letter) @ 300 dpi 33.6 Kbps with auto fallback G3: 3 seconds per page (MBIC Compression)
Weight Power Consumption (Operating) Power Consumption (Sleep Mode) Typical Electricity Consumption (TEC)**** Power Requirements ENERGY STAR EPEAT *Trade Agreements Act (TAA) (**from Bypass Tray and Opti ***from Bypass Tray and Opti ***from Bypass Tray and Opti ****Typical Electricity Consum Print Resolution Print Resolution	Image Quality Mode, Interrupt Copy, Memory Copy, Series Copy, User Program, Import/Export of Preference Settings, Centralized Address Book Management 18.7" x 19.84" x 25.39" (475 x 504 x 645 mm) (mainframe) 61.6 lbs. (28 kg) MP 5015PF: 740 W MP 6015PF: 740 W MP 6015PF: 3.0 kWh/week MP 6015PF: 3.8 kWh/week 120 V, 60Hz, 15A Certified Silver Rated Compliant onal Paper Trays ption by ENERGY STAR program. ons (Standard) 1.46 GHz Up to 1200 x 1200 dpi Standard: Gigabit Ethernet (1000/100/ 108ASE-T), USB 2.0 Type A x 2, SD Card Slot x 2 Optional: Wireless LAN IEEE802.11a/b/g/n,	File Formats Standard Features Facsimile Specific Circuit Compatibility Resolution Compression Method Scanning Speed (SEF) Modem Speed	Grayscale Full Color: JPEG B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full Color: Text/Photo, Glossy Photo, Auto Full Color Select Single and Multi-Page TIFF/PDF, High Compression PDF-Single/MultiPage, PDF/A- Single/MultiPage JPEG Scan-to-USB/SD, WS Scanner, Scan-to- Email/SMB/TF/VIRL, LDAP Support, Preview, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send (Simultaneous Fax and Scan), Scan-to- Digitally Signed PDF, Searchable PDF and PDF/A, Distributed Scan Management, 25 User Programs, Divide & Send, Image Rotation, SADF/Batch Mode, Mixed Size Originals, Resend Cations PSTN, PBX ITU-T (CCITT) G3 200 x 200/100 dpi MH, MR, MMR, JBIG B&W: 62 ipm Simplex/27 ipm Duplex (Letter) @ 300 dpi 33.6 Kbps with auto fallback G3: 3 seconds per page (MMR Compression)



Standard Features

One Hour Backup, Detection of Misplaced Document, Double-Check Destination Address, IP Fax (T.38), Internet Fax (T.37), Forward to Email/Folder, Paperless Fax, LAN Fax, LDAP Support, Universal Send (Simultaneous Fax and Scan), Remote Fax, Fax Output Timer

Document Server (Standard)

Maximum Stored Documents	3,000 documents
Maximum Pages per	1,000 pages
Document Password-Protected	Up to 200 folders
Folder Management	

Security Features

Address Book Encryption, Authentication, Password Encryption, HDD Data Encryption & Overwrite, IP Address Filtering, IP Sec Communications, Kerberos Support, Locked Print, Network Protocol ON/OFF, Quota Setting/Account Limit, Scan-to-Web Mail (SMTP over SSL), Secure Socket Layer (SSL), Secure Shell Encryption (SSH), S/MIME, Transport Layer Security (TSL), User Authentication (Windows, LDAP, Basic, User Code, 802.1x Wired), Unauthorized Copy Prevention (Print), Wireless LAN WEP/WPA

Controller Options

Extended USB Board Type M IEEE 1284 Interface Board Typ Wireless LAN Card Type M24 XPS Direct Print Option Type DataOverwriteSecurity Unit T File Format Converter Type N NFC Card Reader Type Type N OCR Unit Type M13 Optional Counter Interface U Fax Connection Unit Type M2	De M19 Part # 417596 IEEE802.11a/b/g/n) Part # 407863 M24 Part # 408048 ype M19 Part # 417499 I19 Part # 417508 A24 Part # 417499 int 7ype M12 Part # 417428			
Hardware Options Paper Feed Unit PB1100 Part # 407850 Paper Capacity 500 sheets Supported Paper Sizes 3.62 * x 6.38 * - 8.5 * x 14 * Supported Paper Weight 17 - 32 lb. Bond/66 lb. Index (64-120 g/m²) Dimensions (WXDXH) 15 * x 16.1 * x 4.8 * (380 x 410 x 121 mm) Weight 8.8 lbs. (4 kg)				
Required when three (3) or four (Dimensions (WxDxH) Wit x 80 Wit (380	# 407851 4) optional Paper Feed Units are installed. n Stabilizers: 30.6" x 31.8" x 2.5" (778 8 x 64 mm) nout Stabilizers: 15" x 16.1" x 2.5" x 410 x 64 mm) ? lbs. (11 kg)			
Recommended for the base uni Dimensions (WxDxH) 15"	# 52651 for a floor-standing configuration. x 16.2" x 20" (381 x 412 x 508 mm) i lbs. (10.2 kg)			
Medium Cabinet Type J Part# 52641 Recommended when one (1) or two (2) additional Paper Feed Units are added for a floor-standing configuration. Dimensions (WxDxH) Dimensions (WxDxH) 15" x 16.2" x 10" (381 x 412 x 254 mm) 13.7 lbs. (6.2 kg)				
Consumables & Yield Black Print Cartridge MP 601 (includes Waste Toner Bottle) Feed Roller MP 601 (for mainframe) Feed Roller MP 601PB	\$ 25,000 pages* Part # 407823 \$500,000 pages Part # 408049 \$500,000 pages Part # 408050			

*Declared yield values in accordance with ISO/IEC 19752. Actual yields may vary based on images printed and other factors. The RICOH MP 501SPF/MP 601SPF ships with a starter Print Cartridge that yields

For maximum performance and yield we recommend using genuine Ricoh parts

it	PSTN, PBX	
patibility	ITU-T (CCITT) G3	
lution	200 x 200/100 dpi	
pression Method	MH, MR, MMR, JBIG	
ning Speed (SEF)	B&W: 62 ipm Simplex/27 ipm Duplex	
	(Letter) @ 300 dpi	
em Speed	33.6 Kbps with auto fallback	
smission Speed	G3: 3 seconds per page (MMR Compression)	
	G3: 2 seconds per page (JBIG Compression)	
Memory	4 MB (Approx. 320 pages)	
Auto Dials	2,000	
p Dials	100 (max. 500 numbers per group)	

Name of Sales Representative Title Goes Here

xxxx Street Address, Suite # City, State Zipcode Phone number www.companyurl.com

Specifications subject to change without notice.

(for PFU)

10,000 pages

and supplies



Optional: XPS

www.ricoh-usa.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-800-63-RICOH Ricoh^{*} and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. @2016 Ricoh USA, Inc. All Rights Reserved. The content of this document, and the apoerance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will avay depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.