

A4 Multifunction Colour M C320FW ☑ Printer ☑ Copier ☑ Scanner ☑ Fax RICOH M C320FW (0) M C320FW 32-ppm



Modern and versatile office printing reimagined for everyday work

Enhance your office efficiency with the **RICOH M C320FW**— the ideal solution for space-conscious professionals seeking a compact yet powerful multifunctional colour device. This is an affordable, mid-range, all-in-one printer that offers scanner, copier and fax functions and is tailored for general office use handling low- to medium-volume tasks with high-quality output.

Rethink performance with sustainability and reliability

The M C320FW's small footprint and lightweight design means that you'll reclaim valuable office space while enjoying the full functionality of a comprehensive document handling hub. This model features full network connectivity, minimal power consumption and easy, no-hassle maintenance.

Key features



A powerful all-in-one solution:

Print, copy, scan and fax functionalities, with print/ copy speed of 32 pages per minute



Minimal maintenance and robust support:

Easy setup with a 4.3" touchscreen, intuitive menu, installation wizard, and the RICOH Support Station mobile app



Vibrant colour:

High-quality, detailed colour output to produce impressive visuals and professionalgrade prints for all your office documents



Effortless integration:

Fits seamlessly into your existing network with multiple connectivity options



Sustainable choice:
Product is ENERGY
STAR certified,
featuring a lightweight
design, low-melt
toner technology, and
recycled materials



Comprehensive security:

Protect your data with built-in user authentication and the latest data network security standard, TLS 1.3

Make office work more productive and easier

The M C320FW defines what it means to be an essential part of a modern, connected office. For teams seeking a high-quality, affordable colour MFP, the M C320FW will deliver excellent results. Ricoh is committed to innovative solutions that are both sustainable and security-focused while delivering a great experience for users.

RICOH M C320FW MAIN SPECIFICATIONS

GENERAL

Less than 22 seconds Warm-up time

Recovery time 10 seconds

First copy time (B/W / Full Colour) 7 seconds / 14 seconds First print time (B/W / Full Colour) 7.4 seconds / 8.4 seconds

Continuous output speed

32 ppm / 32 ppm (simplex); 16 ppm / 16 ppm (duplex)

(B/W / Full Colour)

512MB Memory

Single-Pass Document Feeder

50 sheets

(SPDF) capacity

29.9kg / 65.8 lbs.

Dimensions: W x D x H

16.1" x 16.9" x 19.0" (410 mm x 429 mm x 483 mm)

Power source 120V-127V, 60Hz

COPIER

Weight

Multiple copying Up to 99 copies Resolution Up to 600x600 dpi

From 25%-400% in 1% increments Zoom

PRINTER

CPU QB6310-19U 833MHz

PCL6, PostScript®3™ Emulation, PDF Direct Print Emulation Printer language: standard

Printer language: optional None

Print resolution: maximum Up to 1200 x 1200 dpi

Network interface: standard Ethernet 10BASE-T/100BASE-TX/1000BASE-T, Wireless LAN IEEE802.11 a/b/g/n/ac (2.4GHz/5GHz,

Wi-Fi Direct), USB Host I/F Type A, USB Device I/F Type B

Mobile printing capability

AirPrint®, Mopria®, RICOH Smart Device Connector

Fonts: standard 90 Roman fonts (PCL 6)

80 Roman fonts (PS3)

Windows® environments Windows 10 (32-/64-bit), 11, Server 2016, Server 2019, Server 2022

MacOS environments MacOS 11 and later

SCANNER

Scanning speed: B/W 30 ipm (simplex) / 42 ipm (duplex) Scanning speed: Full Colour 27 ipm (simplex) / 42 ipm (duplex)

Resolution: maximum Up to 600dpi

B/W: TIFF (MH/MR/MMR), JPEG (Greyscale), PDF Compression method

Colour: PDF, JPEG

File Formats Single Page: TIFF, JPEG, PDF

Multi Page: TIFF, PDF

Scan modes E-mail, Folder, USB, FTP

FAX

PSTN, PBX Circuit Transmission speed 3 seconds Modem speed: maximum 28.8 Kbps

Resolution: standard 8 x 3.85 line/mm, 200x100dpi (std.), 8 x 7.7 line/mm, 200x200dpi (Detail, Photo)

Compression method MH, MR, MMR, JBIG

TBD Scanning speed

Memory 2.5 MB (100 pages) Standard

RICOH M C320FW MAIN SPECIFICATIONS

PAPER HANDLING

Supported paper size Standard Paper Tray: Up to 8.5" x 11" / A4

> Optional Paper Tray: Up to 8.5" x 14" Bypass: Up to 8.5" x 14", Envelopes

Paper input: standard 300 sheets (250-sheet tray plus 50-sheet bypass)

Paper input: maximum 800 sheets (250-sheet standard tray plus 500-sheet optional paper bank and 50-sheet bypass)

Paper output 150 sheets (face down)

Paper weight Standard/Optional Trays: 16 - 53 lb. Bond /110 lb. Index (60 - 200 g/m²)

Bypass Tray: 16 - 53 lb. Bond /110 lb. Index (60 - 200 g/m²) Duplex Unit: 16 - 43 lb. Bond/90 lb. Index (60 - 163 g/m²)

Plain Paper, Recycled Paper, Coloured Paper, Special Paper 1-3, Letterhead, Preprinted Paper, Bond Paper, Paper types

Cardstock, Label Paper, Backing Paper, Envelopes, Coated Paper

SECURITY FEATURES

Prevent unauthorized access

to device IEEE 802.11 security (WEP, WPA, WPA2)

User Code Authentication—available on Locked Print

Wi-Fi Protected Setup (WPS) support

Prevent unauthorized access

to network

IPsec communication Network protocol on/off SMTP over SSL/TLS

802.1x wired authentication

Secure Sockets Layer (SSL) communication

Transport Layer Security (TLS 1.3) Network user authentication

SNMPv3

Protection of

confidential information

Transport Layer Security (TLS 1.3)

ENVIRONMENTAL FEATURES

Power consumption: maximum 1,500 W or less Power consumption: 120 W or less / 0.61 W

ready / sleep

Typical Energy Consumption (TEC)*

*A reference value based on the ENERGY STAR Ver. 3.0 test method.

CONSUMABLES

Toner (black)* Print Cartridge Black M C320H: 10,500 pages

Print Cartridge Cyan M C320H, Print Cartridge Magenta M C320H, Toner (cyan/magenta/yellow)*

Print Cartridge Yellow M C320H: 7,500 pages each

Waste Toner Bottle** Waste Toner Bottle IM C320: 11,000 pages Imaging Unit (black)** Black Drum Unit M C320: 60,000 pages Imaging Unit (colour)** Colour Drum Unit M C320: 48,000 pages Transfer Unit** Transfer Unit M C320: 100,000 pages

*Declared toner yield in accordance with ISO/IEC 19798; ** Yield based on 5% coverage at 3 pages/job.

PAPER SUPPLY OPTIONS

500-Sheet Paper Feed Unit PB1210, Low Cabinet Type A9, High Cabinet Type A10

OTHER OPTIONS

Card Reader Cover Type M57

Terms and Conditions

- This device does not support PoE (Power over Ethernet) and should not be connected to a PoE hub. Connecting to a PoE hub could cause damage and void warranty coverage.
- Some options may not be available at the time of market release.
- Specifications are subject to change without notice.
- For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.
- Some features may require additional options and/or charges.













Ricoh Canada Inc., 400-5560 Explorer Drive, Mississauga ON L4W 5M3, 1888 742-6417

©2025. Ricoh Canada Inc. All rights reserved. Ricoh® and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricch makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.