

Color LED Printer/Color LED MFP

# RICOH

## SP C360DNw

## SP C360SFNw

✓ Printer ✓ Copier ✓ Facsimile ✓ Scanner

**RICOH**  
imagine. change.



SP C360DNw/  
SP C360SFNw

**30** ppm  
monochrome  
full color

## Produce high-quality documents more affordably

Stay on top of increased workloads with the compact RICOH SP C360DNw Color Printer and the SP C360SFNw Multifunction Printer (MFP)—both devices come at an affordable price and produce 30 pages per minute (ppm), whether you're printing color or black-and-white documents. Small offices and work teams of up to four people can easily manage their daily tasks, becoming more efficient with the increased versatility these devices offer. Plus, you can reduce your overhead expenses and maximize your budget with a low cost per page (CPP) while delivering high-quality 1200 x 1200 dpi resolution documents to impress customers with professional-quality brochures, presentations and more. And with fewer moving parts than laser, LED technology lets you present your ideas clearly with sharp text and graphics.


## Get technology that fits the way you work

Now you can enjoy many ways to simplify your work life. Plug into your company network, or go wireless to place your device where it's most accessible to your work team. Print quickly from smart devices with AirPrint®, Mopria® or Google Cloud Print™, or simply tap your Android™ phone to the Near Field Communication (NFC) tag on your device via RICOH Smart Device Connector. With the SP C360SFNw, you get a seven-inch Smart Operation Panel (SOP) with preloaded apps that streamline common tasks. This large, color touchscreen offers user-friendly, tablet-like functionality that lets you speed through jobs with one-touch convenience. The SP C360DNw comes with a 4-line LCD display that's intuitive and easy to use. Both devices feature a user-friendly setup wizard for easy installation to get you up and running fast.



## Power your workgroup with speed and efficiency

The SP C360 Series has the power you need to keep your workgroup productive. There's plenty of RAM to support large files, and you can process files quickly with the 1.2GHz processor. Plus, both devices are robust and can easily produce volumes of at least 1,000 pages per month without sacrificing quality. The SP C360SFNw goes a step further to save you time with added scan, copy and fax functions. The Single Pass Document Feeder (SPDF) offers quick scanning speeds of up to 60 images per minute (ipm)<sup>1</sup> so you can scan two-sided documents in a single pass and load up to 50 pages at a time for uninterrupted scanning. With a first-page-out time of 7.2 seconds<sup>2</sup>, the SP C360 Series is always ready to go when you are. Even when you're the first in the office, you'll get jobs moving quickly with recovery times of just 9.9 seconds for the printer and 9.9 seconds for the MFP.



## Simplify your work life with a versatile MFP

The SP C360SFNw offers additional functionality to make your work life even easier. Streamline processes for your administrative staff with the preloaded ID Card Scan & Copy app—slide double-sided ID cards through the MFP's dedicated card slot to scan and copy the documents to create digital and hard-copy versions simultaneously. You can also purchase an optional carrier sheet to help protect thinner documents, such as receipts, that you pass through the card slot. A variety of scanning options—including scan-to-email, scan-to-folder and scan-to-USB—save you time by letting you scan and share documents quickly. And you can print from your Dropbox or Google Drive™ account with RICOH Smart Device Connector. Plus, standard Super G3 fax capabilities let you expedite communications by sending high-speed fax transmissions.



# Get value, enhanced security and versatility

## Keep print jobs moving with media flexibility

The SP C360 Series comes with both a standard and bypass paper tray that support a variety of media—both support legal-size paper, thick paper stock, envelopes and more, and you can even print large 8.5" x 49.6" banners via the bypass tray. With your choice of an optional 250-sheet or 500-sheet paper tray, you can increase paper capacity to a maximum of 850 pages to save time by reducing the number of trips needed for reloads. Load different types and sizes of paper in each tray to make toggling between jobs quick and efficient. Plus, when you load both an optional tray and standard tray with the same size and type of paper, the second tray will automatically pull pages when the first tray runs out, letting you continue your work uninterrupted.



## Improve document and data protection

You'll have peace of mind knowing that the SP C360 Series comes with enhanced data security to help keep your information assets safe. With the latest security protocols—including IP Filtering, SSL/TLS and multiple types of authentication—you can feel comfortable sharing confidential documents over your network. Plus, Locked Print helps you ensure that proprietary information is protected by requiring passwords before users can release print jobs at the device.



## Enjoy more savings with eco-friendly features

Both devices have an EPEAT® Silver<sup>3</sup> rating and are ENERGY STAR® certified with a Typical Electricity Consumption (TEC) of 1.3 kWh/week for the MFP and 1.2 kWh/week for the printer, helping you to save even more over the long run. Plus, with a separate toner and drum, you can save money by replacing each component separately—only when it's completely depleted. You'll see even more savings with the combine copy feature<sup>4</sup> that lets you copy 2 pages to a single sheet to help reduce paper consumption.



<sup>1</sup> Maximum speed for scanning black-and-white documents. The maximum scan speed for color documents is 40 ipm.

<sup>2</sup> First-page-out time for black-and-white printing. The first-page-out time for color is 8.6 seconds.

<sup>3</sup> EPEAT® Silver rating is only applicable in the USA.

<sup>4</sup> Only supported on the SP C360SFNw.

To view detailed features of our products online go to [www.ricoh-usa.com/products](http://www.ricoh-usa.com/products)



# RICOH SP C360DNw/SP C360SFNw

## SYSTEM SPECIFICATIONS



### Engine Specifications

Ricoh SP C360DNw	Part # 408164
Ricoh SP C360SFNw	Part # 408168
Configuration	Desktop
Technology	LED
Color/B&W	Color
Printing Process	Electro-photographic printing
Scanning Element	Flatbed Scanner with full color
(SP C360SFNw only)	Contact Image Sensor (CIS)
Toner Type	Dry, single component
Color/B&W Print Speed	30 ppm
(Letter)	
Maximum Monthly Volume	Up to 7,500 prints
Maximum Monthly Duty Cycle	75,000 prints
First Page Out Time	B&W: 7.2 seconds / Color: 8.6 seconds
Warm-up Time	20 seconds (SP C360DNw)
	25 seconds (SP C360SFNw)
Standard Paper Capacity	1 x 250-sheet Tray + 100-sheet Bypass Tray
Maximum Paper Capacity	850 sheets
Standard Output Capacity	200 sheets (SP C360DNw)
	150 sheets (SP C360SFNw)
Supported Paper Sizes	Paper Tray: 3.25" x 5.83" – 8.5" x 14.0"
	Bypass Tray: 2.52" x 5.0" – 8.5" x 49.6"
	All Trays: 16-59 lb. bond (56-220g/m2)
Supported Paper Weights	16-43 lb. bond (56-163g/m2)
Duplex:	
Supported Paper Types	Plain, Thick, Thin, Recycled, Color, Letterhead, Preprinted, Bond, Cardstock, Label, Glossy, Coated, Envelopes
Duplexing	Automatic (standard)
Dimensions (W x D x H)	15.8" x 20.3" x 14.2" (400 x 515 x 360 mm) (SP C360DNw)
	16.5" x 21.3" x 21.5" (420 x 540 x 547 mm) (SP C360SFNw)
Weight	70.5 lbs. (32 kg) (SP C360DNw)
	91.5 lbs. (41.5 kg) (SP C360SFNw)
Power Consumption (Operating)	B&W: 471.3 W / Color: 533.7 W (SP C360DNw) B&W: 469 W / Color: 512 W (SP C360SFNw)
Power Consumption (Sleep Mode)	0.83 W (SP C360DNw)
	1.4 W (SP C360SFNw)
Typical Electricity Consumption (TEC)	1.2 kWh/week (SP C360DNw)
	1.3 kWh/week (SP C360SFNw)
Recovery from Sleep Mode	9.9 seconds (SP C360DNw)
	9.9 seconds (SP C360SFNw)
Power Requirements	120 V, 60Hz, 11A
ENERGY STAR	Certified
EPEAT	Silver

### Copy Specifications (SP C360SFNw only)

Copy Resolution	600 x 600 dpi (Platen)
	300 x 600 dpi (SPDF)
Document Feeder Type	Single Pass Document Feeder (SPDF)
Document Feeder Capacity	50 sheets
Document Feeder Original Size	5.5" x 5.5" to 8.5" x 23.6" (140 x 140 mm to 216 x 600 mm)
Document Feeder Paper Weight	14 – 34 lb. Bond (52 – 129 g/m2)
Maximum Original Size	Platen: Up to 8.5" x 11.7"/A4 (216 x 297 mm) SPDF: Up to 8.5" x 23.6" (216 x 600 mm)
	999 copies
Maximum Copy Quantity	
Preset Reduction & Enlargement Ratios	65%, 78%, 93%, 129%, 155%
Zoom Range	25% to 400% in 1% increments
ID Card Copy	Supported

### Warranty

The Ricoh SP C360DNw/SP C360SFNw is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.

### Copier Features

Auto Duplex, Auto Start, Combine Copy (2 in 1), Directional Size Magnification, Electronic Sort, ID Card Copy, Image Density (9 levels), Image Rotation, Image Quality Mode (Text, Photo, Text Photo, Lighten Background), Memory Copy, Auto Tray Switch, Series Copy, User Program

### Print Specifications

Processor Speed	1.2 GHz
Memory (Standard/Maximum)	512MB (SP C360DNw)
	2 GB RAM (SP C360SFNw)
Print Resolution	Up to 1200 x 1200 dpi
Printer Languages	PCL5c/6, PostScript3, PDF Direct Print
Connection Type	Gigabit Ethernet (1000BASE-T/100BASE-Tx/10BASE-T), USB 2.0, USB 2.0 Host, IEEE802.11a/b/g/n

Font Support	PCL/PS3: 93 fonts
Network Protocols	TCP/IP, Bonjour, DDNS
Supported Operating Systems	Windows 7, 8.1, 10, Systems Server 2008/R2, Server 2012/R2, Server 2016

Device Management Utilities	Macintosh: OS X 10.9 or later, Citrix, Linux, Unix, SAP R/3, IBM iSeries/AS/400- using OS/400 Host Print Transform
Mobile Printing	@Remote, Device Manager NX, Printer Driver Packager, Web Image Monitor Ricoh Smart Device Connector, AirPrint®, Google Cloud Print™, Mopria®

\*Expected availability Spring 2018.

### Other Print Features

Billing Code, Booklet (Magazine) Print, Banner Page Print, Black Over Print, CMYK Simulation, Collate, Dithering, Duplexing, Do Not Print Blank Pages, Front Cover Sheet, Header/Footer, Layout/N-up Printing, Locked Print, Mirror Image Print, Mobile Device Printing, Reduce/Enlarge Print, Reverse Order Print, Rotate Print, User Codes, User ID, Watermarks, Economy Color (SP C360DNw)

### Scan Specifications (SP C360SFNw only)

Scanner Resolution	Color and B&W: up to 600 dpi
Scanning Speed (Letter)	B&W: up to 60 ipm, Color: up to 40 ipm
Platen Size	Up to 8.5" x 11"/A4
Maximum Scanning Size	Up to 8.5" x 14"
Scan Modes	BW Text, BW Text/Photo, Gray Scale, Full Color Text/Photo, Full Color Glossy Photo

File Formats	JPEG, Single/Multi Page TIFF, Single/Multi Page PDF
--------------	---

Scan-To Modes	Scan-to-Email (POP, SMTP); Scan-to-Folder (SMB); Scan-to-Media (USB); TWAIN; Network TWAIN
Scan Protocols	Network: TCP/IP; Email: SMTP; Scan-to-Folder: SMB

### Facsimile Specifications (SP C360SFNw only)

Fax Resolution	Up to 200 dpi
Fax Scanning Speed	28 spm
Modem Speed	33.6 kbps with auto fallback
Fax Compression Method	MH, MR, MMR
Fax Memory	SAF Memory: 2 GB
	Page Memory: 4 GB

Transmission Speed	Approximately 3 seconds/page*
Group Dials	20
Speed Dials	400
Standard Fax Features	LAN-Fax, Fax Forwarding to E-Mail/Folder, LDAP support, PSTN, PBX

\* ITU No.1 chart, Compression: MMR, Resolution: 200x100 dpi, Standard speed: 33.6 Kbps.

### Security Features

SP C360DNw/SP C360SFNw: User Code Authentication, 802.1x Wired Authentication, Authentication Pwd Encryption, SSL/TLS, SMTP over SSL/TLS, Network Protocol On/Off, IP Filtering, SMTP over SSL, Windows Active Directory Support, Wireless LAN Security - WEP, 11i

SP C360SFNw only: Windows Authentication, LDAP Authentication, Kerberos, Basic Authentication

### Hardware Options

Paper Feed Unit TK1230	Part # 407399
Paper Capacity	250 sheets
Supported Paper Sizes	5.5" x 8.27" (140 x 210mm) – 8.5" x 14" (216 x 356mm)
Supported Paper Weight	16-59 lb. Bond (56-220 g/m2)
Dimensions (W x D x H)	15.8" x 20.3" x 3.8" (400 x 515 x 95 mm)
Weight	12.3 lbs. (5.6 kg)
Paper Feed Unit TK1240	Part # 407400
Paper Capacity	500 sheets
Supported Paper Sizes	5.5" x 8.27" (140 x 210 mm) – 8.5" x 14" (216 x 356mm)
Supported Paper Weight	16-59 lb. Bond (56-220 g/m2)
Dimensions (W x D x H)	15.8" x 20.3" x 4.8" (400 x 515 x 123 mm)
Weight	13.4 lbs. (6.1 kg)
Tall Cabinet Type N	Part # 52004
Dimensions (W x D x H)	15.8" x 20.2" x 18.3" (400 x 515 x 465 mm)
Weight	24.3 lbs. (11 kg)

### Consumables & Yields

Print Cartridge Black SP C360HA	7,000 pages*	Part # 408176
Print Cartridge Cyan SP C360HA	5,000 pages*	Part # 408177
Print Cartridge Magenta SP C360HA	5,000 pages*	Part # 408178
Print Cartridge Yellow SP C360HA	5,000 pages*	Part # 408179
Print Cartridge Black SP C360A	2,500 pages*	Part # 408180
Print Cartridge Cyan SP C360A	1,500 pages*	Part # 408181
Print Cartridge Magenta SP C360A	1,500 pages*	Part # 408182
Print Cartridge Yellow SP C360A	1,500 pages*	Part # 408183
Black Drum Unit SP C352	15,000 pages	Part # 408223
Color Drum Unit SP C352	12,000 pages	Part # 408224
Fusing Unit SP C352	150,000 pages	Part # 408225
Transfer Unit SP C352	100,000 pages	Part # 408227
Waste Toner Bottle SP C352	13,000 pages	Part # 408228
Carrier Sheet Type P14	500 pages**	Part # 408256

\*Declared yield values in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.

\*\* Ships in pack of three. Each carrier sheet yields approximately 500 uses. For use in SP C360SFNw.

The Ricoh SP C360DNw/SP C360SFNw models ship with starter toner that yields 2,500 Black pages / 1,500 Color pages (ISO/IEC 19798). For maximum performance and yield we recommend using genuine Ricoh parts and supplies.

Specifications are subject to change without notice.

Some options may not be available at time of launch.

**RICOH**  
imagine. change.

www.ricoh-usa.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-800-63-RICOH

©2018. Ricoh USA, Inc. All rights reserved. Ricoh® and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.