
Multifunction Colour

RICOH MP C4504/ MP C6004





Improve productivity in your own way

You take your work personally. Why not use it to your advantage? Use what you know about your everyday tasks to customize digital workflows on the RICOH® MP C4504/MP C6004 Colour Multifunction Printer (MFP) with our Workstyle Innovation Technology. Choose from multiple user interfaces for intuitive fingertip control on an oversized 10.1"-wide Super VGA Smart Operation Panel. Create one-touch shortcuts to automate manual tasks. Place your own information-rich widgets on the control panel and check settings and critical details with a single glance. Produce more types of jobs in more formats — including brilliant colour prints on a wide range of paper stocks — with speed and convenience without compromising security or wasting resources. Add user authentication to protect information and to encourage more responsible printing. And take advantage of mobile technologies to remain productive from anywhere.

- Print up to 60 colour prints/copies per minute
- Use flick, pinch and swipe motions to navigate an interactive user interface
- Customize your own automated workflows to reduce manual tasks
- Use your personal mobile device to print and share information anywhere
- Showcase your work in brilliant colours with professional finishing
- Take advantage of eco-friendly features to lower operating costs and reduce overall environmental impact





Do it all with speed and convenience

Perform more tasks with fewer hassles

Expedite every task, every day

Decisions have to be made. You might as well ensure they're the right ones by getting information where it needs to be — on time. A built-in motion sensor activates the Smart Operation Panel as you approach, so you can begin working the moment you arrive at the MFP. Print up to 60 pages per minute for incredibly fast turnarounds, even when producing full-colour brochures, presentations, spreadsheets and more. Add optional paper trays to extend paper capacity up to 4,700 sheets, and remove paper jams quickly via an animated guide to keep jobs moving. Scan full-colour originals and deliver them at breakneck speeds with a host of scan-to capabilities, including access to your LDAP directory for email delivery. Send and receive paperless faxes to ensure contracts, forms and other important documents arrive at the right destination at the right time.



Leave your mark with brilliant colours

Make an unforgettable impression by producing compelling images and documents with densely rich colours for more lifelike reproductions at up to 1200 dpi resolution. The RICOH MP C4504/MP C6004 recalibrates itself as it processes files, which means colours never deteriorate and text and lines stay incredibly sharp page after page. Expand your reach by printing on a wider, thicker range of paper stocks — up to 12" x 18" sizes and 300 gsm/80 lb. Bond. You can even create posters and banners that would normally be reserved for wide-format devices by combining multiple pages into one image. Want to save on outsourcing costs? Choose the new Fiery[®] E-23C Colour Controller and produce spot colour professional output using the gamut of RGB, CMYK and PANTONE[®] colours.

Make your mark from anywhere

With your smartphone or tablet in hand, productivity remains within your grasp. Download the RICOH Smart Device Connector app to connect to the MP C4504/MP C6004 without software, utilities, drivers or delays. Simply touch your mobile device to the MFP's Near Field Communication (NFC) tag to print, scan and share documents, photos and more instantly. Send information to your phone just as easily. Scan originals at the device, deliver them to your smartphone and tablet and take them with you. Use your personal address book to bypass manual entry tasks and send emails to any recipient in a single action. Plus, you can use the dual optional network port to connect to multiple networks simultaneously.









A new way to work is within your reach

Slide from one job to the next with ease

Searching for ways to be more productive? Look right in front of you, it's at your fingertips with our revolutionary Workstyle Innovation Technology. Use the same motions you use on your smartphone or tablet — including swipe scrolling, drag-and-drop and pinch-and-flick gestures — to toggle between jobs and check settings quickly. Take advantage of the dynamic user interface layout on the oversized 10.1"-wide Super VGA Smart Operation Panel to access information instantly. Because there are no hard keys, you simply tap icons to navigate from one task to the next. The user interface even lets you print, scan, copy and fax using convenient one-touch controls. Don't worry, we didn't forget about what's worked in the past. You can opt to use a touchscreen version of the legacy user interface found on previous Ricoh devices.

Use intuition to work smarter

Decisions are easier when you have the right information. Workstyle Innovation Technology lets you access information at any time. Choose to use the "smart apps" user interface so you can access details quickly and intuitively with a single glance. Click on your choice of iconic apps to automate everyday print, copy, scan and fax workflows and reduce time-consuming manual entry that can derail even your best ideas. Check any setting — from the number of prints to scan-to destinations to finishing options — with a tap of your finger. Need to make changes to settings or workflows? Touch the interactive Smart Operation Panel again to make adjustments in only moments. Looking for more features and functions? Download additional apps from our Application Site and place them as one-touch widgets on the Home Screen.

Customize workflows to simplify information flow

You have a lot of work to do. Who says you have to spend a lot of time doing it? Simplify your workday and deploy workflow applications that streamline business via Ricoh Workstyle Innovation Technology and use what you know about everyday tasks to create unique, customized solutions powered by the Smart Operation Panel. Do you routinely print the same types of spreadsheets? Do you scan and share notes after the weekly meeting? Integrate multiple processes and simplify complex tasks, so you can simply press an icon and complete these tasks faster without repeating steps or recreating the work. You can use the interactive user interface as a one-touch path for special tasks, too. Tap the ID Card Copy icon to scan two-sided identity documents, such as licenses and insurance cards, onto a single-sided document. For more complex workflows, add your choice of plug-and-play workflow software to simplify your workday.







Empower users to work quickly, collectively

Grab and share information automatically

Move information to the right people in the right format quickly. Access up to 3,000 frequently-used documents stored in the Document Server. Use the built-in browser to capture files and images in the Cloud without servers, system integration and software updates. With embedded Optical Character Recognition (OCR) software, you can place keyword-searchable metadata on that information for easier retrieval. Ready to share with others? Scan originals at up to 180 ipm via the 220-Sheet Single Pass Document Feeder and use scan-to capabilities to send digital files to any recipient, anywhere. Or, use Ricoh Device Software Manager to simplify print driver installation and begin using the device in moments. You can also track everything in real time with web-enabled tools, or have Ricoh's knowledgeable support desk staff operate and configure your Smart Operation Panel remotely for faster, better outcomes.

Hold yourself and others accountable

You're responsible for getting company information to the right people. So make certain the right people are sending it. With user authentication, you can track activity for every user, set print quotas, restrict access to specific functions and more. Each user logs in to the MP C4504/MP C6004 by entering a passcode or billing code — or by passing an ID card over an optional NFC card reader at the device. With Locked Print, users can release jobs for printing only when standing at the MFP, which reduces unnecessary printing and helps protect confidential information. You can also place a watermark on specific printed documents if unauthorized users try to recreate them. Take advantage of encryption protection and automatic overwrites to prevent access to information residing on the hard drive.

Plan to save

The MP C4504/MP C6004 is designed specifically to simplify workloads while reducing expenses. Because the MFP meets EPEAT[®] Gold criteria* and ENERGY STAR[®] certifications, you can realize incredibly low Typical Electricity Consumption (TEC) rates — as low as 1.8 kWh/week. Use duplex printing as the default to reduce paper costs. Program the MFP to power down automatically when you know the office will be empty. And use the Eco-Friendly widget to send users hints and tips for conserving energy. You can even track how much energy you're saving. The system is also equipped with an innovative motion sensor, which senses an approaching user by detecting the differences in body temperature versus the surrounding environment. The system will awake from Sleep Mode and turn on the operation panel within one second so it is ready to begin job programming by the time the user arrives at the machine.







To view detailed features of our multifunction products online go to www.ricoh-usa.com/products

*EPEAT Gold rating is applicable only in the USA.

Perform more jobs with fewer hassles



- **Smart Operation Panel:** Choose from multiple intuitive user interfaces to customize and automate workflows on the 10.1"-wide Super VGA Smart Operation Panel. Create iconic shortcuts. Add convenient widgets. And access information with one-touch control using the same motions you use on your smartphone or tablet.
- 2 **220-Sheet Single Pass Document Feeder (SPDF):** Feed colour and black-and-white documents with high-speed copying and scanning in a single pass.
- 3 User authentication: Monitor the activity for every MFP user with personal passcodes or billing codes. Or, with embedded Near Field Communication (NFC) technology and an optional NFC Card Reader, you can require users to gain access via proximity card.
- Paper Trays (Standard): With two 550-Sheet Paper Trays, one of which can accommodate paper sizes up to 12" x 18", you can produce more jobs with fewer reloads.
- 5 100-Sheet Bypass Tray: Accommodate a wider range of paper stocks — from envelopes to 12.6" x 49.6" banner sizes — to impress audiences with versatile output. Add an optional Banner Paper Guide Tray for convenient, affordable banner printing.

- Document Server: Create up to 200 shared or passcode-protected personal folders to store up to 3,000 frequently used digital documents on the MFP's hard drive.
- 7 Tandem Large Capacity Trays (Optional): Extend runs for 8.5" x 11" paper sizes with two 1,000-Sheet Paper Trays.
- 8 **1,500-Sheet Side Large Capacity Tray (Optional):** Minimize interruptions by adding up to an additional 1,500 sheets of letter-sized paper.
- 9 **125-Sheet One Bin Tray (Optional):** Separate output quickly for easier retrieval when printing multiple jobs.
- **2,000-Sheet External Booklet Finisher:** Produce up to 20-sheet saddle-stitched booklets cost-effectively. Available with an optional Hole Punch Unit.
- **Dual Network Support (Optional):** Connect to multiple networks simultaneously via the additional network interface port.
- **Web Browser:** Use the built-in web browser on the MFP touch panel to search for web pages.
- **Motion Sensor:** Senses approaching users and awakens the MFP from Sleep Mode so it is ready by the time the user arrives at the machine.

Put it all together at the end

Bring your best ideas together by finishing them in style. With the External Hybrid Stapleless + Stapler Finisher, you can conserve resources by getting rid of staples entirely for document sets of 2 to 5 pages. For document sets from 6 to 50 pages, the finisher can automatically convert to staples. It is ideal for educational, manufacturing and healthcare environments.

You can choose other finishing options, too. Each is specifically designed to simplify paper handling, stacking and stapling, so you can concentrate on other core tasks. Choose the one that meets your unique requirements and give your projects an affordable, impressive professional-grade look.



Finisher	Paper Capacity (LT)	Hole-Punch	Saddle Stitch	Stapleless
SR3130 Internal	500 Sheets	Option	N/A	N/A
SR3210 External	1,000 Sheets	Option	N/A	Stapleless – Up to 5 Sheets Stapled – Up to 50 Sheets LTR
SR3220 External	1,000 Sheets	Option	Up to 15 Sheets	N/A
SR3240 External	2,000 Sheets	Option	Up to 20 Sheets	N/A
SR3230 External	3,000 Sheets	Option	N/A	N/A

*Not available for MP C6004

General Specification

General Specifica	tions	Dimensions (WxDxH)	26.3" x 29.1" x 47.5" (668 x 738 x	Document Server	Specifications (Standard)
Configuration	Desktop		1205 mm) (Includes SPDF and Two-Tray	Max. Stored Documents	3,000
Printing Process	4-Drum Method		Paper Bank)	Max. Pages/Document	2.000
Output Speed	MP C4504: 45-ppm B&W & FC (LTR)	Weight	228 lbs. (103 kg)	Max. Page Capacity	9.000
(Copy/Print)	MP C6004: 60-ppm B&W & FC (LTR)	Power Requirements	120V – 127V, 60Hz, 15A	Max. Number of Folders	
Warm-Up Time	24 seconds	Power Consumption	1,584W or less; Sleep Mode: .79W		
Recovery from	Approximately 1.0 second (motion-	TEC Value**	MP C4504: 1.8 kWh/week	Scanner Specificat	tions (Standard)
Sleep Mode	sensor activated)		MP C6004: 2.8 kWh/Week	Scanner Resolution	B&W and FC scanning at 100 – 600 dpi,
First Copy Time	MP C4504: 5.7/4.0 seconds	*Bypass Tray Only		Scanner Resolution	Up to 1200 dpi for TWAIN scanning
(FC/B&W)	MP C6004: 4.5/3.1 seconds	**Typical Electricity Consumpt	tion by ENERGY STAR Qualified Imaging	Scanning Speed	200/300 dpi: 110 ipm Simplex/
Copy Resolution	600 dpi	Equipment Test Procedure		(B&W & Colour LTR)	180 ipm Duplex
Quantity Indicator	Up to 999 copies		(a) 1 10	Scan Area	11.7" x 17" (297 mm – 432 mm)
Single Pass Document	Original Capacity: 220 sheets	Printer Specificat	ions (Standard)	Compression Method	B&W TIFF: MH, MR, MMR, JBIG2
Feeder (SPDF)	Original Size: 5.5" x 8.5" – 11" x 17"	CPU	Intel Atom Processor Bay Trail 1.75 GHz	compression method	Colour: JPEG
	(A5 – A3)	Memory/HDD	2 GB RAM/320GB HDD Standard &	Supported File Formats	Single/Multi-Page TIFF, PDF, High
	Paper Weights: Simplex: 11 – 34 lb.		4GB RAM/320GB HDD Option	Supported the formats	Compression PDF & PDF/A, Single-Page
	Bond (40 – 128 g/m ²), Duplex: 14 – 34 lb.	Page Description	Standard: PCL5c, PCL6, PDF		IPEG
	Bond (52 – 128 g/m²)	Languages	Optional: Adobe [®] PostScript [®] 3 [™] , XPS,	Scan Modes	Scan-to-Email (with LDAP support)
Paper Capacity	Standard: 2 x 550 sheets + 100-Sheet		IPDS & PictBridge	Scall Wodes	Scan-to-Folder (SMB/FTP)
Tuper cupuerty	Bypass Tray, Maximum: 4,700 sheets	Font Support	Standard: PCL: 45 Scalable fonts +		Scan-to-URI
	(w/Tandem LCT + Side LCT)		International 13 fonts		Scan-to-Media (USB/SD Card)
Supported Paper Sizes	1st Paper Tray: 8.5" x 11" (A4)		Optional: PostScript 3: 136 Roman		Network TWAIN Scanning
Supported Tuper Sizes	2nd Paper Tray: 5.5" x 8.5" – 12" x 18"		fonts; IPDS: 108 Roman fonts		Network TWAIN Scalining
	(A6 – A3), Envelopes	Max. Print Resolution	1200 x 1200 dpi	Facsimile Specifica	ations (Optional)
	Bypass: Up to 12" x 18", Envelopes	Network Interfaces	Standard: 1000Base-T/100Base-TX/		ITU-T (CCITT) G3
	Custom Sizes: Width: 3.5" – 12.6"		10Base-T Ethernet, USB2.0 Type A	Circuit	PSTN, PBX
	(90 – 320 mm), Length: 5.8" – 49.6"		(3 Ports), SD Slot on Operation Panel	Resolution	200 x 100 dpi, 200 x 200 dpi, 400 x
	(148 – 1260 mm)		Option: IEEE1284/ECP; IEEE802.11a/b/g/n;	Resolution	400 dpi (with optional SAF memory)
Supported Paper	Standard Trays: 16 – 80 lb. Bond/		USB2.0 Type B	Modem Speed	33.6K – 2,400 bps w/Auto Fallback
Weights	166 lb. Index (60 – 300 g/m ²)	Network Protocol	TCP/IP (IPv4, IPv6)	Compression Method	MH, MR, MMR, JBIG
	Bypass Tray: 14 – 80 lb. Bond/	Support		Transmission Speed	G3: Approximately 2 seconds/page
	166 lb. Index (52 – 300 g/m ²)	Network/OS	Windows Vista/7/8/8.1/10/Server 2008/	Transmission speed	(JBIG)
	Duplex Unit: 14 – 68 lb. Bond/		Server 2008R2/ Server2012/	Scanning Speed	Up to 81 spm
	142 lb. Index (52 – 256 g/m²)		Server 2012R2	Auto Dialing	2,000 Quick/Speed Dial numbers;
Paper Types	Plain, Recycled, Special Paper 1 – 3,		Unix; Sun Solaris, HP-UX, SCO OpenServer,	Auto Dialing	100 Group Dial numbers
51.00	Letterhead, Cardstock, Preprinted		RedHat Linux, IBM AIX, Citrix	Memory Capacity (SAF)	Standard: 4 MB (approx. 320 pages),
	Paper, Bond Paper, High-Gloss Coated		Presentation Server 4.5, XenApp 5.0	wentory capacity (SAT)	Optional: 64 MB (approx. 520 pages)
	Paper, Colour Paper, Envelopes, Coated,		Mac OS X v.10.7 or later, SAP R/3,		with optional SAF memory
	Labels* & OHP*		IBM iSeries AS/400-using OS/400		with optional SAL memory
Auto Duplex	Standard		Host Print Transform	Security Features	(Standard)
Output Capacity	Standard: 500 sheets	Utilities	Device Manager NX, Web Image	· · · · · · · · · · · · · · · · · · ·	em (DOSS), HDD Encryption, User Codes,
	Maximum: 3,625 sheets		Monitor, @Remote		ion, Locked Print, User Authentication,
Zoom	25% – 400% in 1% increments				on, Quota Setting/Account Limit, Digitally
					on, Quota Setting/Account Limit, Digitally
				Signed PDF, and more	

RICOH MP C4504/MP C6004

SYSTEM SPECIFICATIONS

Hardware Ass	orios	Stanleless Canacity	2 - 5 sheets/set
Hardware Access Paper Handling Optio		Stapleless Capacity Staple Capacity	2 – 5 sheets/set 50 sheets (8.5" x 11") (A4)
			30 sheets (8.5" x 14" or larger) (B4)
Two-Tray Paper Bank (P	B3160)'	Staple Paper Size	8.5" x 11" to 12" x 18" (A4 – A3)
Tray Capacity	1,100 sheets (550 sheets x 2 trays)	Staple Paper Weight	14 – 28 lb. Bond (52 – 105 g/m²)
Paper Size	7.25" x 10.5" to 12" x 18" (A5 – A3)	Staple Positions	Top, Bottom, 2 Staples
Paper Weight	14 – 80 lb. Bond/166 lb. Index	Dimensions (WxDxH)	22.2" x 24.4" x 37.8" (563 x 620 x 960 mm)
	(52 – 300 g/m²)	1,000-Sheet Booklet Fin	isher (SR3220) ²³⁴
Dimensions (WxDxH)	23.1" x 27" x 9.7" (587 x 685 x 247 mm)	Paper Size	Proof Tray: 5.5" x 8.5" to 12" x 18"
One-Tray Paper Bank (P	B3150)'		(A6 – A3)
Tray Capacity	550 sheets x 1 tray		Shift Tray: 5.5" x 8.5" to 12" x 18"
Paper Size	7.25" x 10.5" to 12" x 18" (A5 – A3)		(A6 – A3)
Paper Weight	14 – 80 lb. Bond/166 lb. Index		Booklet Tray: 8.5" x 11" to 12" x 18"
	(52 – 300 g/m²)	5	(A4 – A3)
Dimensions (WxDxH)	23.1" x 27" x 4.7" (587 x 685 x 120 mm)	Paper Weight	Proof Tray: 14 – 45 lb. Bond (52 – 169 g/m ²) Shift Tray: 14 – 80 lb. Bond/166 lb. Index
Requires installation of Caste			(52 – 300 g/m ²)
Tandem Large Capacity			Booklet Tray: 14 – 28 lb. Bond
Tray Capacity	2,000 sheets (1,000 sheets x 2)		(52 – 105 g/m ²)
Paper Size	8.5" x 11" (A4)	Stack Capacity	Proof Tray: 250 sheets (8.5" x 11" or
Paper Weight	14 – 80 lb. Bond/166 lb. Index		smaller) (A4); 50 sheets (8.5 " x 14 " or
	(52 – 300 g/m ²)		larger) (B4 – A3)
Dimensions (WxDxH)	23.1" x 27" x 9.7" (587 x 685 x 247 mm)		Shift Tray: 1,000 sheets (8.5" x 11" or
Side Large Capacity Tra			smaller) (A4); 500 sheets (8.5" x 14" or
Tray Capacity	1,500 sheets		larger) (B4 – A3)
Paper Size	8.5" x 11" (A4)		Booklet Tray: 20 Sets (2 – 5 sheets),
Paper Weight	14 – 80 lb. Bond/166 lb. Index		10 Sets (6 – 10 sheets) & 7 Sets (11 –
Dimensions (M/vDvH)	(52 – 300 g/m²) 13.4" x 21.4" x 11.4" (340 x 545 x 290 mm)	Stanla Canadita	15 sheets)
Dimensions (WxDxH)	ray Paper Bank (PB3160) or Tandem LCT (PB3230)	Staple Capacity	Normal Staple: 50 sheets (8.5" x 11") (A4); 30 sheets (8.5" x 14" or larger) (B4 – A3)
Requires installation of two-t	ray raper ballk (FBS100) of landelli LC1 (FBS250)	Saddle Stitch	15 sheets
Output Trays & F	inisher Options	Staple Paper Size	Normal Staple: 8.5" x 11" to 12" x 18"
			(A4 – A3)
Internal Shift-Sort Tray			Saddle Stitch: 8.5" x 11" to 12" x 18"
Tray Capacity	250 sheets (8.5" x 11" or smaller) (A4 – A5)		(A4 – A3)
Paper Size	125 sheets (8.5" x 14" or larger) (B4 – A3) 5.5" x 8.5" to 12" x 18" (A5 – A3)	Staple Paper Weight	14 – 28 lb. Bond (52 – 105 g/m ²)
Paper Weight	14 – 80 lb. Bond/166 lb. Index	Staple Positions	Top, Bottom, 2 Staples, Booklet
ruper treight		Dimensions (WxDxH)	22.2" x 24.4" x 37.8" (563 x 620 x 960 mm)
	(52 – 300 g/m²)		
Cannot be installed with any	(52 – 300 g/m²) Finisher	2-/3-Hole Punch Unit (Pl	J 3050NA)
		2-/3-Hole Punch Unit (Pl (Optional; Installs inside S	J 3050NA) iR3210 or SR3220 Finisher)
One-Bin Tray (BN3110)	Finisher	2-/3-Hole Punch Unit (Pl (Optional; Installs inside S Punch Paper Sizes	J 3050NA) ;R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3)
		2-/3-Hole Punch Unit (Pl (Optional; Installs inside S	J 3050NA) 5R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index
One-Bin Tray (BN3110) Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight	J 3050NA) IR3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m ²)
One-Bin Tray (BN3110) Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index	2-/3-Hole Punch Unit (Pl (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin	U 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5° to 11° x 17° (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ²¹⁴
One-Bin Tray (BN3110) Paper Size Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight	U 3050NA) iR3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m ²) isher (SR3240) ²¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18"
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets	2-/3-Hole Punch Unit (Pl (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin	J 3050NA) IR3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m ⁻) isher (SR3240) ¹⁺⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)*	2-/3-Hole Punch Unit (Pl (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ^{3*4} Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18"
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m')	2-/3-Hole Punch Unit (Pl (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin	J 3050NA) R3210 or SR3220 Finisher) $5.5^{\circ} x 8.5^{\circ} \text{ to } 11^{\circ} x 17^{\circ} (A5 - A3)$ 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) isher (SR3240) ^{3*4} Proof Tray: $5.5^{\circ} x 8.5^{\circ}$ to $12^{\circ} x 18^{\circ}$ (A6 - A3) Shift Tray: $5.5^{\circ} x 8.5^{\circ}$ to $12^{\circ} x 18^{\circ}$ (A6 - A3)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4)	2-/3-Hole Punch Unit (Pl (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ^{3*4} Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18"
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 14" or larger) (B4 – A3)	2-/3-Hole Punch Unit (Pl (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin	J 3050NA) R3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18"
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (58130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 14" or larger) (84 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3)	2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size	J 3050NA) R3210 or SR3220 Finisher) $5.5^{\circ} x 8.5^{\circ} \text{ to } 11^{\circ} x 17^{\circ} (A5 - A3)$ 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) isher (SR3240) ¹¹⁴ Proof Tray: $5.5^{\circ} x 8.5^{\circ} \text{ to } 12^{\circ} x 18^{\circ}$ (A6 - A3) Shift Tray: $5.5^{\circ} x 8.5^{\circ} \text{ to } 12^{\circ} x 18^{\circ}$ (A6 - A3) Booklet Tray: $8.5^{\circ} x 11^{\circ} \text{ to } 12^{\circ} x 18^{\circ}$ (A4 - A3) Proof Tray: $14 - 58 \text{ lb. Bond/122 lb. Index}$ (52 - 220 g/m)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m')	2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size	J 3050NA) IR3210 or SR3220 Finisher) $5.5^{\circ} x 8.5^{\circ}$ to $11^{\circ} x 17^{\circ}$ (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ²¹⁴ Proof Tray: 5.5^{\circ} x 8.5^{\circ} to $12^{\circ} x 18^{\circ}$ (A6 – A3) Shift Tray: 5.5^{\circ} x 8.5^{\circ} to $12^{\circ} x 18^{\circ}$ (A6 – A3) Shoklet Tray: 8.5^{\circ} x 11^{\circ} to $12^{\circ} x 18^{\circ}$ (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 11") (A4)	2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size	J 3050NA) R3210 or SR3220 Finisher) $5.5^{\circ} x 8.5^{\circ} \text{ to } 11^{\circ} x 17^{\circ} (A5 - A3)$ 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) isher (SR3240) ^{3*4} Proof Tray: $5.5^{\circ} x 8.5^{\circ} \text{ to } 12^{\circ} x 18^{\circ}$ (A6 - A3) Booklet Tray: $5.5^{\circ} x 8.5^{\circ} \text{ to } 12^{\circ} x 18^{\circ}$ (A6 - A3) Booklet Tray: $8.5^{\circ} x 11^{\circ} \text{ to } 12^{\circ} x 18^{\circ}$ (A4 - A3) Proof Tray: $14 - 58 \text{ lb. Bond/122 lb. Index}$ (52 - 220 g/m) Shift Tray: $14 - 80 \text{ lb. Bond/166 lb. Index}$ (52 - 300 g/m)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m')	2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size	J 3050NA) R3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Booklet Tray: 17 – 28 lb. Bond
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 14" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 11" or larger, and/or	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ²¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 230 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m')
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Weight Staple Capacity	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3)	2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ^{3:4} Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/166 lb. Index (52 – 220 g/m') Booklet Tray: 14 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Weight Staple Capacity Staple Positions	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 14" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 200 g/m') Shift Tray: 14 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Size Staple Capacity Staple Cositions Dimensions (WxDxH)	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 125 sheets her (SR3130) " 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') Sisher (SR3240) ²¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shoklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 230 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Booklet Tray: 77 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) S0 sheets (8.5" x 14" or larger) (B4)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Size Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) "J3040NA)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') (sher (SR3240) ³¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) S0 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Weight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside S	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) "J3040NA)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') Sisher (SR3240) ²¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shoklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 230 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Booklet Tray: 77 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) S0 sheets (8.5" x 14" or larger) (B4)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Weight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside S	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') (sher (SR3240) ²¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) So sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Shift Tray: 30 sets (2 – 5 sheets) or 15
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Size Staple Paper Vieght Staple Capacity Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2/3-Hole Punch Paper Sizes Punch Paper Sizes Punch Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (84 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (84 – A3) 150-p. Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 3034000A) 303100 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 200 g/m') Booklet Tray: 71 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Size Staple Paper Vieght Staple Capacity Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2/3-Hole Punch Paper Sizes Punch Paper Sizes Punch Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity	J 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) Isher (SR3240) ³¹⁴ Proof Tray: 5.5° x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5° x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5° x 11" to 12" x 18" (A6 – A3) Booklet Tray: 8.5° x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m) Shift Tray: 14 – 58 lb. Bond/166 lb. Index (52 – 300 g/m) Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sheets) or 6 sets (16 – 20 sheets)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Veight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WXDxH) "Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Weight 1,000-Sheet Hybrid Stap	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 383130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m')	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ²¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) S0 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Veight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WXDxH) "Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Weight 1,000-Sheet Hybrid Stap	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 30404A) 37.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 14 – 45 lb. Bond/93 lb. Index (54 – A3) 15 – 45 lb. Bond/93 lb. Index (54 – A3) 16 – 45 lb. Bond/93 lb. Index (54 – A3) 17 – 65 m x 10.5" to 11" x 17" (A4 – A3) 18 – 75 m x 10.5" to 12" x 18"	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity	J 3050NA) (R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A4 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 200 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 200 g/m') Shift Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Vieight Stack Capacity Staple Paper Weight Staple Paper Weight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside 5 Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) 150, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 50 50 50 50 50 50 50 50 50 50	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity Staple Capacity	J 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) Isher (SR3240) ³¹⁴ Proof Tray: 5.5° x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5° x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5° x 11" to 12" x 18" (A6 – A3) Booklet Tray: 8.5° x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m) Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m) Proof Tray: 250 sheets (8.5° x 11" or smaller) (A4) 50 sheets (8.5° x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5° x 11" or smaller) (A4) 1,000 sheets (8.5° x 14" or larger) (B4) Booklet Tray: 30 sets ($2 - 5$ sheets) or 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5° x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Veight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WXDxH) "Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside S Punch Paper Weight 1,000-Sheet Hybrid Stap	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 11" (A4) 30 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) 10, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 31 31 31 31 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') 32 35 hift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) 57 mod Tray: 14 – 45 lb. Bond/93 lb. Index	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity	J 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ³⁷⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) Shift Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stich: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17"
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Vieight Stack Capacity Staple Paper Weight Staple Paper Weight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside 5 Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11" (A4) 30 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity Staple Capacity	J 3050NA) JR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 200 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 200 g/m') Shift Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17" (A4 – A3)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Vieight Stack Capacity Staple Paper Weight Staple Paper Weight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside 5 Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 30300NA) 303130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') 94 + Stapleless Finisher (SR3210) *** Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity Staple Capacity	J 3050NA) IR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ³⁷⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) Shift Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stich: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17"
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Size Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside 9 Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger, (B4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) 10, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 37.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') 30+ 45 Stapleless Finisher (SR3210) *** Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') Shift Tray: 14 – 48 lb. Bond/166 lb. Index (52 – 169 g/m')	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity Staple Capacity	J 3050NA) JR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) Siber (SR3240) ³¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 5.5 x 8.5" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 220 g/m') Shift Tray: 17 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Shift Tray: 30 sets (2 – 5 sheets) or 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18"
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Vieight Stack Capacity Staple Paper Weight Staple Paper Weight Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside 5 Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity Staple Capacity Staple Paper Size Staple Paper Weight Staple Paper Weight Staple Positions	J J3050NA) JR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m) Shift Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m) Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 220 g/m) Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Size) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11* x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 11" x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Sti
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Size Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside 9 Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m') 50 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3) 150, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 303040NA) 303040NA) 573130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') 04 – Stapleless Finisher (SR3210) ³¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4)	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity Staple Capacity Staple Paper Size Staple Paper Weight	J J3050NA) JR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 – 256 g/m') isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 200 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 200 g/m') Booklet Tray: 71 – 28 lb. Bond (64 – 105 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3)
One-Bin Tray (BN3110) Paper Size Paper Weight Tray Capacity 500-Sheet Internal Finis Paper Size Paper Weight Stack Capacity Staple Paper Size Staple Paper Size Staple Paper Weight Staple Capacity Staple Positions Dimensions (WxDxH) *Not available for MP C6004 2-/3-Hole Punch Unit (P (Optional; Installs inside 9 Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Weight	Finisher 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 125 sheets her (SR3130)" 5.5" x 8.5" to 12" x 18" (A6 – A3) 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m) 500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger) (B4 – A3) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) 	2-/3-Hole Punch Unit (P) (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 2,000-Sheet Booklet Fin Paper Size Paper Weight Stack Capacity Staple Capacity Staple Paper Size Staple Paper Weight Staple Paper Weight Staple Positions	J J3050NA) JR3210 or SR3220 Finisher) 5.5° x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m) isher (SR3240) ¹¹⁴ Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3) Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m) Shift Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m) Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 220 g/m) Booklet Tray: 7 – 28 lb. Bond (64 – 105 g/m) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Size) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11* x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 50 x 11" to 11* x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18"



set	3,000-Sheet Finisher (SR	3230)234
5" x 11") (A4)	Paper Size	Proof Tray: 5.5" x 8.5" to 12" x 18"
5" x 14" or larger) (B4)		(A6 – A3)
o 12" x 18" (A4 – A3)		Shift Tray: 5.5" x 8.5" to 12" x 18"
ond (52 – 105 g/m²)		(A6 – A3)
2 Staples	Paper Weight	Proof Tray: 14 – 58 lb. Bond/122 lb. Index
x 37.8" (563 x 620 x 960 mm)		(52 – 220 g/m ²)
34		Shift Tray: 14 – 80 lb. Bond/166 lb. Index
5" x 8.5" to 12" x 18"		(52 – 300 g/m ²)
5 X 0.5 10 12 X 10	Stack Capacity	Proof Tray: 250 sheets (8.5" x 11" or
5" x 8.5" to 12" x 18"		smaller) (A4)
		50 sheets (8.5" x 14" or larger) (B4)
8.5" x 11" to 12" x 18"		Shift Tray: 3,000 sheets (8.5" x 11") (A4)
		1,500 sheets (8.5" x 14" or larger) (B4)
- 45 lb. Bond (52 - 169 g/m ²)	Staple Capacity	50 sheets (8.5" x 11" to 11" x 17") or
- 80 lb. Bond/166 lb. Index		Mixed Sizes (A4 – A3)
n²)	Staple Paper Size	8.5" x 11" to 11" x 17" (A4 – A3)
14 – 28 lb. Bond	Staple Paper Weight	14 – 28 lb. Bond (52 – 105 g/m²)
n²)	Staple Positions	Top, Bottom, 2 Staples, Top Slant
50 sheets (8.5" x 11" or	Dimensions (WxDxH)	25.9" x 24.1" x 37.8" (657 x 613 x 960 mm)
50 sheets (8.5" x 14" or	2-/3-Hole Punch Unit (PU	J3060NA)
A3)	(Optional; Installs inside S	R3230 or SR3240 Finishers)
000 sheets (8.5" x 11" or	Punch Paper Sizes	5.5" x 8.5" to 11" x 17" (A5 – A3)
500 sheets (8.5" x 14" or	Punch Paper Weight	14 – 68 lb. Bond/142 lb. Index
A3)		(52 – 256 g/m²)
20 Sets (2 – 5 sheets),		5.000
20 Sets (2 – 5 sheets), 10 sheets) & 7 Sets (11 –	Colour Controller	
10 sheets) & 7 Sets (11 –	Controller Type	Embedded Type
10 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4);	Controller Type Fiery Platform	Embedded Type FS150
10 sheets) & 7 Sets (11 –	Controller Type Fiery Platform CPU	Embedded Type FS150 Intel Processor G850 2.9GHz
10 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3)	Controller Type Fiery Platform CPU Host Interface	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T
10 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4);	Controller Type Fiery Platform CPU Host Interface Memory	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB
I0 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18"	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB
10 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3)	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux
10 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" : 8.5" x 11" to 12" x 18"	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour
I0 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m')	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" : 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ³) 2 Staples, Booklet	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/5c
I0 sheets) & 7 Sets (11 – e: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m')	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/5c Up to 1200 dpi (2 bit)
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" : 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm)	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/5c Up to 1200 dpi (2 bit) Up to 600 dpi
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" : 8.5" x 11" to 12" x 18" ond (52 – 105 g/m') 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher)	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base=T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/Sc Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ³) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3)	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/5c Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery*
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond/142 lb. Index	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/5c Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools,
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond/142 lb. Index n ²)	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base=T/100Base=TX/10Base=T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/5c Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond"/42 lb. Index m ²	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/Sc Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose,
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond"/42 lb. Index m ²	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base=T/100Base=TX/10Base=T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/5c Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond/142 lb. Index n ²) 5" x 8.5" to 12" x 18"	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/Sc Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On", Fiery Hot
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond/142 lb. Index n ²) 5" x 8.5" to 12" x 18"	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/Sc Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On*, Fiery Hot Folders, Fiery Colour Profiler Suite v4.0,
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) 2: 8.5" x 11" to 12" x 18" 2: 8.5" x 11" to 12" x 18" cond (52 – 105 g/m ³) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond/142 lb. Index n ³ 5" x 8.5" to 12" x 18" 5" x 8.5" to 12" x 18"	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/Sc Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On", Fiery Hot Folders, Fiery Colour Profiler Suite v4.0, Fiery E-2000 Spectrophotometer and
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) 2: 8.5" x 11" to 12" x 18" 2: 8.5" x 11" to 12" x 18" cond (52 – 105 g/m ³) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond/142 lb. Index n ³ 5" x 8.5" to 12" x 18" 5" x 8.5" to 12" x 18"	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts Utilities	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/Sc Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On*, Fiery Hot Folders, Fiery Colour Profiler Suite v4.0, Fiery EFI Spot-On*, Fiery Hot Folders, Fiery Colour Profiler Suite v4.0, Fiery EFI Productivity Pack
I0 sheets) & 7 Sets (11 – 2: 50 sheets (8.5" x 11") (A4); 5" x 14" or larger) (B4 – A3) e: 8.5" x 11" to 12" x 18" e: 8.5" x 11" to 12" x 18" ond (52 – 105 g/m ²) 2 Staples, Booklet x 37.8" (563 x 620 x 960 mm) 20 Finisher) o 11" x 17" (A5 – A3) ond/142 lb. Index n ²) 5" x 8.5" to 12" x 18"	Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Printer Description Language Max Print Resolution Max Scan Resolution Fonts Utilities	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript 3 & PCL6/Sc Up to 1200 dpi (2 bit) Up to 600 dpi PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On*, Fiery Hot Folders, Fiery Colour Profiler Suite v4.0, Fiery ES-2000 Spectrophotometer and EFI Productivity Pack ICC Profile, Colour Chart, CMYK Colour

Additional Accessories

Banner Paper Guide Tray Type M19, Caster Table Type M3, Bridge Unit BU3070, Cabinet Type F, Camera Direct Print Card Type M19, Card Reader Bracket Type 3352, Extended USB Board Type M19, External Keyboard Bracket Type M19, Fax Connection Unit Type M20, Fax Memory Unit Type M19 64MB, File Format Converter Type M19, G3 Interface Unit Type M20, HotSpot MFP Option Type S, IEEE 802.11a/g/n Interface Unit Type M19, IEEE 1284 Interface Board Type M19, Imageable Area Extension Unit Type M19, Key Counter Bracket Type M3, Memory Unit Type M19 4GB, NFC Card Reader Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Postscript3 Unit Type M19, Power Filter ESP XG-PCS-15D, Smart Card Reader Built-in Unit Type M19, USB Device Server Option Type M19, XPS Direct Print Option Type M19

¹Either the Cabinet Type F or one of the paper options must be installed. ²Requires configuration with Bridge Unit BU3070.

Cannot be installed together.

Requires installation of Two-Tray Paper Bank (PB3160) or Tandem Large Capacity Trav (PB3230).

Some options may not be available at the time of market release.

Specifications are subject to change without notice.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.



www.ricoh.ca

Ricch Canda, Inc., 100-5560 Exotrorer Drive, Mississauga, ON L4W SM3, 1-888-742-6417 Ricch² and the Ricch logg are registered trademarks of Ricch Company. Ltd. All other trademarks are the property of their respective owners @2016. Ricch Canada, Inc. All rights reserved The content of this document, and the appearance, features and specifications of Ricch products and services are subject to change from time to the without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricch makes no regressination or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions affectors affecting performance. The only warranties for Ricch products and services are as set forth in the express warranty statements accompanying them.