


A4 Multifunction Colour

IM C320F





A cut above the rest: achieve superior colour output with an intuitive, compact design

In today's dynamic work environment, efficiency, sustainability and security aren't just perks, they are necessities. Meet the RICOH IM C320F — a compact and feature-rich multifunction printer ideal for companies seeking quality and affordability in an environmentally-friendly print solution. It is designed for workgroups that utilize advanced software solutions to streamline workflow and boost worker productivity.

Elevate performance with intelligent, sustainable features

Perfect for space-constrained environments, the IM C320F is compact and sits easily on a desktop, while an optional paper tray and cabinets allow for expansion to a floor-standing device. With a sleek and modern design, it is perfect for those who require secured, fast output and reliable performance without compromising on footprint or quality.

Key features



A powerful all-in-one solution:

Print, copy, scan and fax functionalities, with print/copy speed of 32 pages per minute



Vibrant colour:

High-quality, detailed colour output to produce impressive visuals and professional-grade prints for all your office documents



Effortless integration:

Fits seamlessly into your existing network with full connectivity options



Get right to work:

Designed for easy setup and featuring a large intuitive smart operation panel to keep your office running smoothly



Eco-friendly, lightweight design:

Committed to sustainability using 50% post-consumer recycled plastic in the mainframe and 31% reduction in plastic packaging



Energy efficiency:

ENERGY STAR-certified devices offer new low-melt toner technology and among the lowest in class TEC values for reduced energy consumption



Comprehensive security:

Protect your data with built-in user authentication and the latest data network security standard, TLS 1.3

Designed for all your business needs — and more

Ricoh's intelligent devices let you digitize your document workflows and gain fast and secured access to your information when needed. And by adding software solutions, apps and cloud services, you can customize the IM C320F to support every stage of your business growth. Ricoh is committed to innovative solutions that are both sustainable and security-focused, delivering customers a great experience.

RICOH IM C320F MAIN SPECIFICATIONS

GENERAL

Warm-up time Less than 32 seconds

Recovery time 10 seconds

First copy time (B/W / Full Colour) 5.8 seconds / 6.6 seconds First print time (B/W / Full Colour) 3.6 seconds / 4.8 seconds Continuous output speed 32 ppm / 32 ppm (simplex); (B/W / Full Colour) 16 ppm / 16 ppm (duplex)

Memory: standard 6GB (2GB mainframe and 4GB SOP)

64GB eMMC (Standard); 256GB SSD (Optional) Storage 50 sheets

Single-Pass Document Feeder

(SPDF) capacity

Weight 29.9kg / 65.8 lbs.

Dimensions: W x D x H 16.1" x 16.9" x 19.0" (410 mm x 429 mm x 483 mm)

120V-127V, 60Hz Power source

COPIER

Up to 999 copies Multiple copying Copy resolution: maximum Up to 600x600 dpi

From 25%-400% in 1% increments Zoom

PRINTER

CPU QB6640-23UF 1.2GHz

PCL6, PostScript®3™ Emulation, PDF Direct Print Emulation Printer language: standard Printer language: optional Genuine Adobe® PostScript®3™, Adobe® PDF Direct Print

Up to 1200 x 1200 dpi Print resolution: maximum

Mainframe: 10BASE-T/100BASE-TX/1000BASE-T Network interface: standard

(Gigabit Ethernet); USB Host Type A-1 port (for service use only); USB Device Type B-1 port

SD Card slot; SOP: Bluetooth 5.2; USB Host Type A-1 port

Network interface: optional Wireless LAN (IEEE 802.11 a/b/g/n/ac)

Mobile printing capability AirPrint®, Mopria®, RICOH Smart Device Connector

Fonts: standard 80 Roman fonts + 13 International fonts

136 Roman fonts (with Genuine Adobe PostScript®3™ option) Fonts: PS3 optional Windows® environments Windows 10 (32-/64-bit), 11, Server 2016, Server 2019, Server 2022

Mac OS environments MacOS 11 and later

SAP® environments SAP R/3, SAP S/4 (optional Unicode font package required) Citrix environments Citrix XenDesktop 7.0/7.1, Citrix XenApp 7.5 and later

SCANNER

Scanning speed: B/W / Full Colour 30 ipm (simplex) / 60 ipm (duplex)

Resolution: maximum Up to 600dpi

B/W: TIFF (MH/MR/MMR), JPEG (Greyscale), PDF Compression method

Colour: PDF, JPEG

File Formats Single Page: TIFF, JPEG, PDF, PDF/A, High Compression PDF, Encrypted PDF, Searchable PDF

(OCR Option required)

Multi Page: TIFF, PDF (Default), PDF/A, High Compression PDF, Encrypted PDF, Searchable PDF

(OCR Option required)

Scan modes Network: TCP/IP Scan to Folder: SMB, FTP

> Sending E-mail: SMTP, IMAP4 Web Services on Devices for Scanning

FAX

Circuit PSTN, PBX

Transmission speed 3 seconds Modem speed: maximum 33.6 Kbps

Resolution: standard 8 x 3.85 line/mm, 200x100dpi (std.), 8 x 7.7 line/mm, 200x200dpi (Detail, Photo)

Compression method MH. MR. MMR. JBIG

Scanning speed Simplex/duplex 30 / 60 ipm (200dpi-B/W/A4SEF) 30 / 60 ipm (200dpi-FC/A4SEF)

4 MB (320 pages) standard; 60MB (4,800 pages) optional Memory

RICOH IM C320F MAIN SPECIFICATIONS

PAPER HANDLING

Supported paper size Standard Paper Tray: Up to 8.5" x 11" / A4

Optional Paper Tray: Up to 8.5" x 14" Bypass: Up to Up to 8.5" x 14", Envelopes

Paper input: standard 300 sheets (250-sheet tray plus 50-sheet bypass)

Paper input: maximum 800 sheets (250-sheet standard tray plus 500-sheet optional paper bank and 50-sheet bypass)

Paper output 150 sheets (face down)

Paper weight Standard/Optional Trays: 16 - 53 lb. Bond/110 lb. Index (60 - 200 g/m²)

Bypass Tray: 16 - 53 lb. Bond/110 lb. Index (60 - 200 g/m²) Duplex Unit: 16 - 43 lb. Bond/90 lb. Index (60 - 163 g/m²)

Paper types Plain Paper, Recycled Paper, Coloured Paper, Special Paper 1-3, Letterhead, Preprinted Paper, Bond Paper,

Cardstock, Label Paper, Backing Paper, Envelopes, Coated Paper

SECURITY FEATURES

to network

Prevent unauthorized access 802.1x wired authentication User code authentication

to device IEEE 802.11 security (WEP, WPA, WPA2, WPA3) Wi-Fi Protected Setup (WPS) support

Quota setting/Account limit

User authentication—Windows, LDAP via

Kerberos, basic

Prevent unauthorized access IP filtering—access control Secure Sockets Layer (SSL) communication

IPsec communication Transport Layer Security (TLS 1.3)
Network protocol on/off Network user authentication

S/MIME SNMPv3

SMTP over SSL/TLS

Protection of Machine data encryption Mask type for copying/Data security for copying

confidential information

Authentication password encryption

Unauthorized copy prevention—print and copy

Encrypted PDF Mode

Compulsory security stamp

Protection of latent data Erase All Memory function—to overwrite drive and NVRAM at machine end-of life

ENVIRONMENTAL FEATURES

Power consumption: maximum 1,500 W or less

Power consumption: ready / sleep 120 W or less / 0.58 W (nominal)

Typical Energy Consumption (TEC)* 0.29 kWh

*A reference value based on the ENERGY STAR Ver. 3.0 test method.

CONSUMABLES

Toner (black)* Print Cartridge Black IM C320: 16,000 pages

Toner (cyan/magenta/yellow)* Print Cartridge Cyan IM C320, Print Cartridge Magenta IM C320, Print Cartridge Yellow IM C320:

10,000 pages each

Waste Toner Bottle** Waste Toner Bottle IM C320: 11,000 pages

*Declared toner yield in accordance with ISO/IEC 19798; ** Yield based on 5% coverage at 3 pages/job.

PAPER SUPPLY OPTIONS

500-Sheet Paper Feed Unit PB1210, Low Cabinet Type A9, High Cabinet Type A10

OTHER OPTIONS

256GB SSD Option Type M57, IEEE 802.11a/b/g/n/ac Interface Unit Type M57, PostScript®3™ Unit Type M57, OCR Unit Type M54, 64MB Fax Memory Unit Type M57, Card Reader Cover Type M57, Unicode font package for SAP

Terms and Conditions

- This device does not support PoE (Power over Ethernet) and should not be connected to a PoE hub. Connecting to a PoE hub could cause damage and void warranty coverage.
- Some options may not be available at the time of market release.
- Specifications are subject to change without notice.
- For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.
- Some features may require additional options and/or charges.
- The optional SSD is recommended for faster job processing and best performance with complex workflows; the SSD is required for scan preview to function properly or if the customer wants to use encryption.



















